

Marking Scheme

Class: XII Session: 2021-22

Computer Science (Code 083)

| | |
|----|--|
| 1 | d. pass |
| 2 | b. tuple |
| 3 | d. (40,60) |
| 4 | b. if we try to read a text file that does not exist, the file gets created. |
| 5 | c. myfile = open('Myfile.txt'); print(myfile.readline()) |
| 6 | d. myfile.readlines() |
| 7 | c. both iii and iv |
| 8 | a. string |
| 9 | d. / |
| 10 | b. obj1[2] = 20 |
| 11 | c. Every line ends with a new line character |
| 12 | b. tells the current position of the file pointer within the file |
| 13 | b. pickling is used for object serialization |
| 14 | a. 0 |
| 15 | d. i,iii and iv |
| 16 | d. def cal_si(p, r=8, t=2) |
| 17 | a. my_func() |
| 18 | c. (comma) , |
| 19 | d. EOL character translation is suppressed |
| 20 | b. list |
| 21 | a. read() |
| 22 | c. .py |
| 23 | d. # |
| 24 | a. with open('record.bin','wb') as myfile: pickle.dump(lst1,myfile) |
| 25 | b. The keys of a dictionary can be accessed using values |
| 26 | c. 200 |
| 27 | b. 4 |
| 28 | d. 15.0 |
| 29 | c. 2345678 |
| 30 | c. 36 |
| 31 | b. 3 |
| 32 | b. dump(obj1, myfile) |
| 33 | c. continue |
| 34 | d. None |
| 35 | c. 18 |
| 36 | d. 250 300 |
| 37 | b. 50#5 |
| 38 | b. Mumbai#Chennai#Kolkata#Mumbai# |
| 39 | b. 5#8#5#4# |
| 40 | c. 26 |
| 41 | b. pYTHOnN#@ |
| 42 | d. 27 |

| | |
|----|----------------------------------|
| 43 | d. 5 |
| 44 | d. 3 5 5 |
| 45 | b. 7 |
| 46 | a. 2 |
| 47 | b. School/Academics/Syllabus.jpg |
| 48 | b. list |
| 49 | b. (1,2,[1,3.14],3) |
| 50 | c. csv |
| 51 | b. "Student.csv", "w" |
| 52 | c. writer(fh) |
| 53 | d. roll_no,name,Class,section |
| 54 | c. rec |
| 55 | c. writerows() |