### CENTRAL BOARD OF SECONDARY EDUCATION

(An autonomous organization under Min. of Human Resource Development, Govt. of India)

# SHIKSHA KENDRA, 2, COMMUNITY CENTRE, PREET VIHAR, DELHI-92

## **TENDER NOTICE**

Sealed tenders under two-Bid system are invited from reputed agencies for execution of Misc. works detailed hereunder:

		P.E.	EMD
1.	Civil Works (Partitions/Panelling)	Rs. 10.0 Lakh	Rs.30,000/-
2.	Elect & Misc. Wiring Work	Rs. 4.0 Lakh	Rs.12,000/-
3.	P&F Carpeting & Curtains	Rs. 3.8 Lakh	Rs.10,000/-
4.	S&I R.O. (Water Purifier), Water	Rs. 1.5 Lakh	Rs. 5,000/-
	Cooler & Tea/Coffee dispenser		

Agencies having executed at least 2 works of similar nature may apply for item No. 1& 2. EMD as detailed above & cost of tender Rs. 500/-payable through DD/BD in f/o The Secretary, CBSE Delhi is to be annexed. Tenders duly filled in be dropped in the tender-box placed at Kendriya Vidyalaya, Kirkee, Pune on or before 10.07.2014 upto 2.00 P.M. Tender documents be down loaded through our website: <a href="https://www.cbse.nic.in">www.cbse.nic.in</a> Incomplete, conditional & belated tenders shall be summarily rejected.

Jt.Secretary (A&L)

#### IMPORTANT INSTRUCTIONS TO THE TENDERERS

- 1. Incomplete and conditional tenders shall be summarily rejected.
- 2. Rates are to be quoted in words and figures without any cutting /overwriting.
- 3. Interested Agencies shall be required to enclose all requisite documents i/c catalogues etc.
- 4. Any additional information required by CBSE in respect of the work experience shall be submitted by the tenderers within three days, failing which the offer shall not be entertained.
- 5. Tenders received without EMD as specified in the tender notice & cost of tender Rs. 500/- in the form of a Demand Draft shall be summarily rejected.
- 6. The authorized signatory must quote his telephone & mobile numbers.
- 7. The tenders shall be opened on 10.07.2014 at 2.30 p.m.
- 8. The tenderer shall be required to submit a experience, regn. & other documents alongwith the tender.
- 9. The work is time-bound, & needs to be executed quliatatively.
- 10. Agencies may quote for any item of work for which it has the expertise & qualifies the parameters.

## **CENTRAL BOARD OF SECONDARY EDUCATION**

Last date of submission : 10.7.2014 upto 2.00 P.M.

Note:		Tenderer must read the Important Instructions	
Instructions to the Tenderer:  Name of the work:		before filling the particulars in the part.	
		Providing & fixing of Partitions/Cabins	
1. <u>Cr</u>	edentials of the Tenderers		
1.1	1 Name of the Agency with Regn. No.		
1.2	2 Office Address and Tel No.		
1.3	Name(s) of the proprieter/ Partners		
1.4	4 WCT No.		
1.5	5 PAN/TAN No. (with documentary evidence)	e)	
1.6	6 Annual turnover during last ( 2011-12,2012-13,2013-14 Supported with documenta	·	
2.0	Has the firm been even deb	arred/Black	
	Listed by any organization	?	
	If 'Yes' the details thereof.		
2.1	1 The organizational set-up ir	ncluding	
	Technical infrastructure/st	aff strength in all the categories.	
2.		fts annexed as E.M.D & cost of tender, Rs 500/- DD No	
	E.M.D. Rs. /- DD	No.	

Name of the Bank:

2.3 Names of the Organisations/Bldgs., where similar w	ork has been completed.
1.	
2.	
3.	
4.	
5.	
	(Signature of the tenderer)
	Tel No.:
	Mobile No.:

# **Schedule of Rates**

# Name of work: Providing & fixing of Partitions/Cabins work

S.No.	Description	Unit	Qty.	Rate	Amount
1.	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately).  Sal wood/Hollock  Note: The wooden framework shall be provided with primer & also fire retardant paint.	Cum	3.0		
2.	Providing and fixing carbon steel galvanised (minimum coating 5 micron) dash fastener of 10 mm dia double threaded 6.8 grade (yield strength 480 N/mm²), counter sunk head, comprising of 10 mm dia polyamide PA 6 grade sleeve, including drilling of hole in frame concrete/masonry, etc. as per direction of Engineer-in-charge.				
	10 x 80 mm	Each	50		
	10 x 160 mm	Each	20		
3.	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core to block board construction with frame of 1 <sup>st</sup> class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:				
	35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws.	Sqm	20		
4.	Extra for cutting rebate in flush door shutters (Total area of the shutter to be measured).	Sqm	2.0		
5.	Providing and fixing expandable fasteners of specified size with necessary plastic sleeves and galvanised M.S. screws including drilling	Each			

	halas in massammungula /CC/D, C, C, and			
	holes in masonry work /CC/R.C.C. and			
	making good etc. complete.			
	50 mm long		200	
6.	Providing and fixing 6 mm commercial			
	plywood conforming to IS: 303 BWR Grade			
	on the existing wooden framework with	Sqm.	160	
	nails. The unexposed surface to be provided			
	priming coat.			
7.	P&F of 12 x 12 mm moulding with kin			
	seasoned & chemically treated	Mtr	100	
	hollock/ivorycoast wood.			
8.	Providing & Fixing decorative high pressure			
	laminated sheet of plain/wood grain in			
	gloss/matt/suede finish with high density			
	protective surface layer and reverse side of			
	adhesive bonding quality conforming to IS:			
	2046 Type S, including cost of adhesive of			
	approved quality.			
	approved quanty.			
	1.0 mm thick	Mtr	160	
9.	P&F of wooden moulded beading to door &	14161		
J.	window frames with iron screens, plugs,			
	etc.			
	etc.			
	50x12mm	Mtr	50	
	35x12mm	Mtr	50	
		_		
	25x12mm	Mtr	60	
	18x5mm	Mtr	100	
10.	Providing and fixing aluminium extruded			
	section body tubular type universal			
	hydraulic door closer (having brand logo			
	with ISI, IS: 3564, embossed on the body,			
	door weight upto 36 kg to 80 kg and door	Each	8	
	width from 701 mm to 1000 mm), with			
	double speed adjustment with necessary			
	accessories and screws etc. complete.			
11.	P&F bright finished brass 100 mm mortice			
	latch & lock with six levers & a pair lacqured	Each	8	
	handles of approved quality with necessary			
	screws etc. complete.			
12.	P&F brass tower bolt (barrel type)			
	250x10mm	Each	8	
	200x10mm 200x10mm		8	
	ZOUXIUIIIII	Each	0	

13.	P&F of glass/transparent PVC moulded round shaped door handle 150 mm dia nominal size or any other sample approved by the Engineer-in-charge.	Each	8	
14.	P&F of stainless steel lock 2 levers as per approved sample	Each	8	
15.	P&F of stainless steel /brass (lacquered) door stopper as per approved sample.	Each	8	
16.	Finishing with French spirit polishing Two or more coats on new works including a coat of wood filler	Sqm	50	
17.	P&F 5mm thick flat glass panes in the doors, windows/shutters etc.	Sqm.	2.0	
18.	P&F 50mm thick glass wool of density 24kg /m³ packed in polythene bags in the in the wooden partitions/ block panelling to achieve sound proofing (panel size 60cmx60cm)	Sqm	80	
19.	(a) P&F fully perforated tiles of thickness 8/10mm made with Calcareous & Siliceous materials reinforced with cellulose compressive strength of 225kg/sq.mm. & bending strength 100 kg/ sq.mm, backing with non-woven tissue having NRC of 0.85 & further backing with 50 mm thick rock wool of 48 kg/cum.  Or  (b) Coir veneer board 12mm thick with minimum 20% perforation to achieve sound insulation.	Sqm.	Rate only Rate only	

Accepted by me:	•
Signature:	
Name:	
Mob No.	

#### **Terms & Conditions**

- 1. The work is to be executed as per the CPWD specifications & best Engg. practice i/c the directions of the Engineer-in-charge.
- 2. The work is to be completed in a time-bound framework within 30 days from the date of the work order.
- 3. The rates shall be valid for a period of 60 days from the date to tender.
- 4. Specified material shall only be used with prior approval of the sample by the Engineer-in-charge.
- 5. In no case, unspecified material is to be brought at site.
- 6. The laminates shall be of Merino/Greenlam.
- 7. The wooden framework shall be fabricated within properly seasoned wood.
- 8. The commercial plywood shall be of kitply/national/duro/ISI.
- 9. The door closer shall be of amar/godrej/everite.
- 10. The flush door shutters shall be Diamond/Swati/Bhutan/Sitapur/ISI.
- 11. The mortise lock shall be of godrej/Harrison/Link.
- 12. Toughened glass of modi/asahi/saint gobain.
- 13. No running payment shall be made.
- 14. In case of delay, a penalty @ 1% shall be levied.
- 15.In case of slow progress/ stoppage of work without valid reasons, the Board shall have the right to rescind the work & get the same executed at the risk & cost of the defaulting agency.

(Signature of the tenderer)
With Complete address and seal
Tel No
Mobile No.

Date .....